Notice of Allowability	Application No.	Applicant(s)
	10/705,501	HUMPHREYS ET AL.
	Examiner	Art Unit
	Suzanne E. McDowell	1791
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>amendment filed 1/7/08</u> .		
2. The allowed claim(s) is/are 3-5, 7, 10, 11, 14-16, 18, 21, and 22 (renumbered as 1-12 respectively).		
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) ☐ All b) ☐ Some* c) ☐ None of the:		
 Certified copies of the priority documents have been received. Certified copies of the priority documents have been received in Application No 		
Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
•		
Attachment(s) 1. ☑ Notice of References Cited (PTO-892)	5. Notice of Informal P	atent Application
2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary	• •
3. Information Disclosure Statements (PTO/SB/08),	Paper No./Mail Dát 7. 🔲 Examiner's Amendn	re .
Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit	8. X Examiner's Stateme	ent of Reasons for Allowance
of Biological Material	9. Other	·
		

10/705,501 Art Unit: 1791

REASONS FOR ALLOWANCE

1. The following is an examiner's statement of reasons for allowance: prior art does not tech or fairly suggest, in an apparatus with first and second mold halves, each mold half having first and second cavities, the limitations of a first pinch bar attached to the first cavity of the first mold half, a first pinch bar attached to the second cavity of the frist mold half, a second pinch bar attached to the first caivty of the second mold half, and a second pinch bar attached to the second mold cavity of the second mold half, where each pinch bar has a surface and a protrusion extending from the surface, and where the pinch bars are positioned such that the protrusion of the first pinch bar and the protrusion of the the second pinch bar of the first mold cavity are positioned for pinching a parison when the first and second mold halves close, and likewise the protrusion of the first pinch bar and the protrusion of the the second pinch bar of the second mold cavity are positioned for pinching a parison when the first and second mold halves close. Prior art includes Avery (US Patent 3,936,263) which teaches inching a parison between mold lands (142). Avery does not teach that the mold lands have pinch bars and, absent hindsight, there would be no reason to modify the mold lands to have first and second pinch bars attached thereto, at both the top and bottom of the mold.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

2. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Suzanne E. McDowell whose telephone number is (571) 272-1205. The examiner can normally be reached on Mon and Th 5:30am-2pm, Tues 10am-6:30pm.

Application/Control Number:

10/705,501

Art Unit: 1791

Page 3

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor,

Christina Johnson can be reached on (571) 272-1176. The fax phone number for the organization

where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR system,

see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system,

contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like

assistance from a USPTO Customer Service Representative or access to the automated information

system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Suzanne E. McDowell

Primary Examiner

Art Unit 1791

SEM

January 17, 2008